

References on Substance Abuse/Tobacco Use
By Paula Minihan

- Beange, H., McElduff, A., & Baker, W. (1995). Medical disorders of adults with mental retardation: A population study. American Journal on Mental Retardation, 99, 595-604.
- Burgard, J.F., Donohue, B., Azrin, N.H., & Teichner, G. (2000). Prevalence and treatment of substance abuse in the mentally retarded population: An empirical review. Journal of Psychoactive Drugs, 32, 293-298.
- Burtner, A.P., Wakham, M.D., McNeal, D.R., & Garvey, T.P. (1995). Tobacco and the institutionalized mentally retarded: Usage choices and ethical considerations. Special Care in Dentistry, 15, 56-60.
- Campbell, J.A., Essex, E.L., & Held, G. (1994). Issues in chemical dependency treatment and aftercare for people with learning differences. Health & Social Work, 19, 63-70.
- Centers for Disease Control and Prevention. (2002). Trends in cigarette smoking among high school students – United States, 1991--2001. MMWR Morbidity and Mortality Weekly Report, 51, 409-412.
- Centers for Disease Control and Prevention. (2003). Cigarette smoking among adults – United States, 2001. MMWR Morbidity and Mortality Weekly Report, 52, 953-956.
- Centers for Disease Control and Prevention. (2004). State-specific prevalence of current cigarette smoking among adults – United States, 2002. MMWR Morbidity and Mortality Weekly Report, 52, 1277-1280.
- Centers for Disease Control and Prevention. (n.d.) Trends in the prevalence of alcohol use. In YRBSS National Youth Risk Behavior Survey: 1991 – 2003. Retrieved June 4, 2004 from <http://www.cdc.gov/HealthyYouth/yrbs/pdfs/trends-alcohol.pdf>.
- Christian, LA, & Poling, A. (1997). Drug abuse in persons with mental retardation: A review. American Journal on Mental Retardation, 102, 126-136.
- Clarke, J.J., & Wilson, D.N. (1999). Case report – Alcohol problems and intellectual disability. Journal of Intellectual Disability Research, 43, 135-139.
- Delaney, D., & Poling, A. (1990). Drug abuse among mentally retarded people: An overlooked problem? Journal of Alcohol and Drug Education, 35, 48-54.
- Department of Health and Human Services (2000). Substance Abuse. In Healthy People 2010. 2nd ed. With Understanding and Improving Health and Objectives for

- Improving Health. 2 vols. Retrieved May 11, 2004 from [http://www.healthypeople.gov/document/HTML/Volume2/26 Substance.htm](http://www.healthypeople.gov/document/HTML/Volume2/26%20Substance.htm).
- Department of Health and Human Services (2000). Leading Health Indicators. In Healthy People 2010. 2nd ed. With Understanding and Improving Health and Objectives for Improving Health. 2 vols. Retrieved January 6, 2004 from http://www.healthypeople.gov/document/html/uih/uih_bw/uih_4.htm.
- Draheim, C.C., McCubbin, J.A., & Williams, D.P. (2002). Differences in cardiovascular disease risk between nondiabetic adults with mental retardation with and without Down Syndrome. American Journal on Mental Retardation, 107, 201-211.
- Edgerton, R.B. (1986). Alcohol and drug use by mentally retarded adults. American Journal of Mental Deficiency, 90, 602-609.
- Hymowitz, N., Jaffe, F.E., Gupta, A., & Feuerman, M. (1997). Cigarette smoking among patients with mental retardation and mental illness. Psychiatric Services, 48, 100-102.
- Krishef, C.H. (1986). Do the mentally retarded drink? A study of their alcohol usage. Journal of Alcohol and Drug Education, 31, 64-70.
- Krishef, C.H., & DiNitto, D.M. (1981). Alcohol abuse among mentally retarded individuals. Mental Retardation, 19, 151-155.
- Lindsay, W. R., Allen, R., Walker, P., Lawrenson, H., & Smith, A.H.W. (1991). An alcohol education service for people with learning difficulties. Mental Handicap, 19, 96-100.
- Lottman, T.J. (1993). Access to generic substance abuse services for persons with mental retardation. Journal of Alcohol and Drug Education, 39, 41-55.
- McDermott, S., Platt, T., & Krishnaswami, S. (1997). Are individuals with mental retardation at high risk for chronic disease? Family Medicine, 29, 429-434.
- McGillicuddy, N.B., & Blane, H.T. (1999). Substance use in individuals with mental retardation. Addictive Behaviors, 24, 869-878.
- McGillivray, J.A., & Moore, M.R. (2001). Substance use by offenders with mild intellectual disability. Journal of Intellectual & Developmental Disability, 26, 297-310.
- McGinnis, J. M., & Foege, W.H. (1993). Actual causes of death in the United States. Journal of the American Medical Association, 270, 2207-2212.

- Minihan, P.M. (1999). Smoking policies and practices in a state-supported residential system for people with mental retardation. American Journal on Mental Retardation, 104, 131-142.
- Mokdad, A.H., Marks, J.S., Stroup, D.F., Gerberding, J.L. (2004). Actual causes of death in the United States, 2000. Journal of the American Medical Association, 291, 1238-1245.
- Moore, D., & Polsgrove, L. (1989). Disabilities, developmental handicaps and substance misuse: A review. Social Pharmacology, 3, 375-408.
- Moore, D., & Polsgrove, L. (1991). Disabilities, developmental handicaps and substance misuse: A review. The International Journal of the Addictions, 26, 65-90.
[NOTE: Moore, D., & Polsgrove, L. (1989 and 1991) are identical.]
- Pack, R.P., Wallander, J.L., & Browne, D. (1998). Health risk behaviors of African-American adolescents with mild retardation: Prevalence depends on measurement method. American Journal on Mental Retardation, 102, 409-420.
- Paxon, J.E. (1995). Relapse prevention for individuals with developmental disabilities, borderline intellectual functioning, or illiteracy. Journal of Psychoactive Drugs, 27, 167-172.
- Peine, H.A., Darvish, R., Blakelock, H., Osborne, J.G., & Jenson, W.R. (1998). Non-aversive reduction of cigarette smoking in two adult men in a residential setting. Journal of Behavior Therapy and Experimental Psychiatry, 29, 55-65.
- Rimmer, J.H., Braddock, D., & Fujiura, G. (1994). Cardiovascular risk factor levels in adults with mental retardation. American Journal on Mental Retardation, 98, 510-518.
- Rimmer, J.H., Braddock, D., & Marks, B. (1995). Health characteristics and behaviors of adults with mental retardation residing in three living arrangements. Research in Developmental Disabilities, 16, 489-499.
- Robertson, J., Emerson, E., Gregory, N., Hatton, C., Turner, S., Kessissoglou, S., & Hallam, A. (2000). Lifestyle related risk factors for poor health in residential settings for people with intellectual disabilities. Research in Developmental Disabilities, 21, 469-486.
- Tracy, J., & Hosken, R. (1997). The importance of smoking education and preventative health strategies for people with intellectual disability. Journal of Intellectual Disability Research, 41, 416-421.

Tyas, S., & Rush, B. (1993). The treatment of disabled persons with alcohol and drug problems: Results of a survey of addiction services. Journal of Studies on Alcohol, 54, 275-282.

Tyler, C.V., & Bourquet, C. (1997). Primary care of adults with mental retardation. Journal of Family Practice, 44, 487-494.

Westermeyer, J. (1990). Treatment for psychoactive substance use disorder in special populations: Issues in strategic planning. Advances in Alcohol & Substance Abuse, 8, 1-8.

Westermeyer, J., Kemp, K., & Nugent, S. (1996). Substance disorder among persons with mild mental retardation – A comparative study. The American Journal on Addictions, 5, 23-31.

Westermeyer, J., Phaobtong, T., & Neider, J. (1988). Substance use and abuse among mentally retarded persons: A comparison of patients and a survey population. American Journal of Drug and Alcohol Abuse, 14, 109-123.

d:\AAMR CDC Conference\references.doc